

NEW COLLECTION

2019-2020

FLOOR



KANGTON INDUSTRY,INC.

Add : Floor 13th,Hometex Mansion,No.210 Siping Rd.,Shanghai,200086,China

Tel : +86 21 55151611/55159769

Fax : +86 21 55159770

Email : webmaster@kangton.com

Web : www.kangton.com



KANGTON INDUSTRY,INC.

www.kangton.com

 **Kangton**[®]
Project Solution Supplier



DIRECTORY

Commercial Vinyl Flooring	3-16
Commercial Wood SPC Flooring	17-20
Commercial Hardwood Flooring	21-30
WPC Decking	31-32
Bamboo Flooring	33-34
Laminate Flooring	35-38
Moulding	39-40
Underlayment	40
Project Show	41-42



COMPANY INTRODUCTION

Kangton Industry, Inc. is a superior exporter of flooring in China. Since 2004, we've been sharing good markets worldwide. Our strengths are commercial vinyl, engineered, hardwood, laminate and WPC flooring.

With Floorscore, Greenguard, CE, SGS, Intertek and FSC certificates, our products are successfully accepted by big brand, real estate, developer and wholesaler company all over the world, such as Armstrong, Shaw and URBN. You can find our flooring in different projects in North America, Europe, Australia, South East Asia, South America, Mid-East and Africa. Kangton select our strategic partners with international quality

standard. We strictly control the quality and provide QC inspection during production and before loading. All our clients will receive QC report with detailed photos for each shipment. We are responsible for powerful competitive price, top quality and developing new product.

DDP service is available, includes shipping, tax, duty, to door charges. Our aim is to create extra value to our clients and develop together.

Whatever you need for flooring, we believe you can find the best in Kangton.



COMMERCIAL VINYL FLOORING

Vinyl Flooring has become more popular because modern versions of vinyl do a much better job of looking like real hardwood and tile at budget-friendly prices. It can therefore be ideal for a kitchen, bathroom, or any other area prone to spills and a lot of foot traffic.



- 100% Waterproof
 - Durable
 - Comfortable
 - Eco-friendly
 - Good For Residential And Commercial
- Anti Scratch
 - Sound Proof
 - Formaldehyde Free
 - Fireproof
 - Hard Surface (Ceramic Bead Coating)

WOOD COLLECTION

Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC



KTV2053



KTV3041



KTV1603




KTV2795




KTV2585



KTV3045



KTV3026



KTV2356



KTV3372

COMMERCIAL VINYL FLOORING

Vinyl Flooring has become more popular because modern versions of vinyl do a much better job of looking like real hardwood and tile at budget-friendly prices. It can therefore be ideal for a kitchen, bathroom, or any other area prone to spills and a lot of foot traffic.



- 100% Waterproof
- Durable
- Comfortable
- Eco-friendly
- Good For Residential And Commercial
- Anti Scratch
- Sound Proof
- Formaldehyde Free
- Fireproof
- Hard Surface (Ceramic Bead Coating)

WOOD COLLECTION

Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC



KTV2056



KTV2214



KTV2210



KTV1757



KTV1816



KTV1887



KTV6151-D06



KTV2938



KTV2272

COMMERCIAL VINYL FLOORING

Vinyl Flooring has become more popular because modern versions of vinyl do a much better job of looking like real hardwood and tile at budget-friendly prices. It can therefore be ideal for a kitchen, bathroom, or any other area prone to spills and a lot of foot traffic.



- 100% Waterproof
- Durable
- Comfortable
- Eco-friendly
- Good For Residential And Commercial
- Anti Scratch
- Sound Proof
- Formaldehyde Free
- Fireproof
- Hard Surface (Ceramic Bead Coating)

WOOD COLLECTION

Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC



KTV3509




KTV1711



KTV1712



KTV1388



KTV1812




KTV1813



KTV1814



KTV2564



KTV2155

COMMERCIAL VINYL FLOORING

Vinyl Flooring has become more popular because modern versions of vinyl do a much better job of looking like real hardwood and tile at budget-friendly prices. It can therefore be ideal for a kitchen, bathroom, or any other area prone to spills and a lot of foot traffic.



- 100% Waterproof
 - Durable
 - Comfortable
 - Eco-friendly
 - Good For Residential And Commercial
- Anti Scratch
 - Sound Proof
 - Formaldehyde Free
 - Fireproof
 - Hard Surface (Ceramic Bead Coating)

WOOD COLLECTION

Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC



KTV2964



KTV2417



KTV3746




KTV3845



KTV1348



KTV1523



KTV1561



KTV1714



KTV3358

COMMERCIAL VINYL FLOORING

Vinyl Flooring has become more popular because modern versions of vinyl do a much better job of looking like real hardwood and tile at budget-friendly prices. It can therefore be ideal for a kitchen, bathroom, or any other area prone to spills and a lot of foot traffic.



Intertek




CE




- 100% Waterproof
- Durable
- Comfortable
- Eco-friendly
- Good For Residential And Commercial
- Anti Scratch
- Sound Proof
- Formaldehyde Free
- Fireproof
- Hard Surface (Ceramic Bead Coating)

WOOD COLLECTION


Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC



KTV1985




KTV3360



KTV2067



KTV1870-2



KTV1596




KTV2270



KTV168B-1



KTV1376



KTV1661

STONE COLLECTION

Available Size :	12"x24"
Thickness :	2.5mm, 3mm , 4mm , 5mm, 6mm, 7.5mm
Wear layer :	0.3mm, 0.5mm, 0.7mm
Pattern :	Dry back, Patent Click, Loose lay, Rigid, WPC




KTV1868



KTV1916-5




KTV2123



KTV1280




KTV1331



KTV1328

TEXTURE

Embossed




Crystal



Handscraped



EIR




Stone




WPC, SPC & RIGID VINYL FLOORING

WPC & RIGID Vinyl Flooring is an economic range of PVC Flooring mixed with vinyl and wood material,there is an important layer Foam Backing Layer which is soundproof. it's waterproof, anti-fire and slip, also durable and tough,offers an easy and cost effective maintenance,making our products a better solution for the home decoration and commercial use.

Thickness :		Reference Size :	
Total :	5.5-7.5mm	5.5(4+1.5)/0.3mm	6.5(5+1.5)/0.3mm
WPC & Rigid Layer :	4-5mm	7.0(5+2.0)/0.5mm	7.5(5.5+2)/0.5mm
Vinyl :	1.5-2.5mm		
Wear Layer :	0.3-0.7mm		



WPC VINYL FLOORING




RIGID VINYL FLOORING


LOOSE LAY VINYL FLOORING

Loose lay vinyl is the ultimate in D.I.Y. flooring - no power tools required, just a sharp stanley knife! Every plank has a unique anti-slip backing. The floor is installed wall to wall in a matter of minutes, not hours, with the only "hard" work involved cutting to size the last plank on each row.

Available Size :	6"x36" , 7"x48" , 9"x72"
Thickness :	4mm, 5mm, 6mm
Wear layer :	0.3mm, 0.5mm, 0.7mm



LUXURY VINYL TILE



Available Size	6"x36" , 7"x48" , 9"x72"
Thickness	2.5mm, 3mm , 4mm , 5mm, 6mm,
Wear layer	0.3mm, 0.5mm, 0.7mm
Style	Dry back, Patent Click

COMMERCIAL WOOD SPC FLOORING

Kangton WSPC Flooring is a new innovative environmental flooring. It's made of pure natural solid wood veneer and 100% virgin high density SPC. WSPC flooring can satisfy you all the requirements of flooring, with solid wood grain and nice outer looking, 100% water proof, anti-noise, E0 grade formaldehyde free, strict resistance, durable and stable, convenient installation. It's the new trend in flooring industry.



- 100% Waterproof
- Durable
- Comfortable
- Eco-friendly
- Anti Scratch
- Sound Proof
- Formaldehyde Free
- Fireproof

WOOD SPC FLOORING

Available Size :	127x1200mmRL
Thickness	5.5mm+1.5mmIXPE
Wood Species:	Oak, Hickory, Walnut, Birch
Grade:	ABC




KTWV1001




KTWV1002



KTWV1003



KTWV1004



KTWV1005



KTWV1007



KTWV1008



KTWV1011



KTWV1161

WOOD SPC FLOORING

Available Size :	127x1200mmRL
Thickness :	5.5mm+1.5mmIXPE
Wood Species:	Oak, Hickory, Walnut, Birch
Grade:	ABC



KTWV1166



KTWV2022




KTWV2023



KTWV2024



KTWV2025



KTWV2027



KTWV3005






KTWV3031



KTWV0105

WOOD SPC STRUCTURE



COMMERCIAL HARDWOOD FLOORING

Engineered hardwood flooring is real wood flooring, but is more stable than solid wood. Engineered wood flooring is less susceptible to shrinking and expanding with changes in temperatures and humidity while the multiple wood layers in engineered hardwood make it very durable.



Specification : Suitable for Multi-layer Structure and 3-layers Structure Surface
Treatment : Flat/Handscraped/Brushed/White-washed/Antique
Click system : Tongue and Groove /Valinge patent click system
Grade : ABCD/AB/BCD/CD

EUROPEAN OAK

Available Size :	
Multi-layers : 9.5/1.2x127x400-1200mm RL	12/2x127x400-1200mm RL
14/3x190x400-1860mm RL	20/6x190x400-1860mm RL
HDF core : 9/1.2x166x400-1840mm RL	10/2x125x400-1200mm RL
12/2x125x400-1200mm RL	



KTH1101



KTH1105



KTH1107



KTH1109



KTH1127



KTH2731



KTH1112



KTH1110



KTH1111

EUROPEAN OAK

RED OAK

Available Size :

Multi-layers : 9.5/1.2x127x400-1200mm RL	12/2x127x400-1200mm RL
14/3x190x400-1860mm RL	20/6x190x400-1860mm RL
HDF core : 9/1.2x166x400-1840mm RL	10/2x125x400-1200mm RL
12/2x125x400-1200mm RL	



KTH1115



KTH1119



KTH1113



KTH1132



KTH1144



KTH1145



KTH1146



KTH1147



KTH1114

Available Size :

Multi-layers : 9.5/1.2x127x400-1200mm RL	12/2x127x400-1200mm RL
--	------------------------




KTH1001



KTH1002



KTH1003



KTH1004




KTH1005


ACACIA

Available Size :

Multi-layers : 9.5/1.2x76.2/127x400-1200mm RL		9.5/1.2x127x400-1200mm RL	
12/2x127x400-1200mm RL		14/3x190x400-1860mm RL	
HDF core : 12/1.2X120X400-1200mm RL		14/1.6x120x400-1200mm RL	



KTH1201




KTH1202



KTH1203

WALNUT



KTH1401



KTH1402



KTH1403


HICKORY

Available Size :

Multi-layers : 9.5/1.2x76.2/127x400-1200mm RL		9.5/1.2x127x400-1200mm RL	
12/2x127x400-1200mm RL		14/3x190x400-1860mm RL	
HDF core : 12/1.2X120X400-1200mm RL		14/1.6x120x400-1200mm RL	




KTH1301



KTH1302




KTH1303



KTH1304



KTH1305



KTH1306


BIRCH

Available Size :

Multi-layers : 9.5/1.2x127x300-1200mm RL 12/2x127x300-1200mm RL



KTH1501



KTH1505



KTH1520



KTH1521



KTH1522

TEAK



KTH1602

Available Size :

Multi-layers : 9.5/1.2x127x300-910mm RL 12/2x127x300-910mm RL

MAPLE

Available Size :

Multi-layers : 9.5/1.2x127x300-1200mm RL 12/2x127x300-1200mm RL



KTH1701



KTH1702



KTH1703


JATOBA

Available Size :

Multi-layers : 9.5/0.6x90x300-1200mm RL



KTH1901



KTH1902

OAK PARQUET

Available Size : 15/2x600x600mm 15/2x450x450mm
15/4x600x600mm 15/4x450x450mm



KTP110



KTP131-A




KTP112



KTP131




Plywood engineered wood flooring



Multi-layers Structure

HDF engineered wood flooring



3-layers structure



- The easiest,most versatile wood floor to install...
- Patented locking system requires no glus or nails
- Installs twice as fast as traditional engineered flooring
- No mess,no waiting... can be enjoyed as soon as it is installed



Solid Wood Flooring


WPC DECKING

WPC decking is stylish, versatile and easy to install. Whether you have a deck, entertaining platform or pool and spa area. KANGTON WPC adds definite style and sophistication which is long wearing, safe and ecofriendly. Our decking is safe for Children as it is splinter free.




WPC DIY TILE

WPC DIY TILE enjoys all the advantages of the decking floor, but is more easier to install and thus win favor from those customers who want to bring as much creativity in outdoor decorating as possible.



KTW30S30-4



KTW30S30-2



KTW30S30-5



KTW30S30-3



KTW30S30-6



KTW30S30-1

BAMBOO FLOORING

Bamboo has been used as an alternative for flooring because of its physical similarities to true hardwoods. Bamboo floor manufacturers and sellers promote its strength, durability, its eco-friendliness and its natural resistance to insects and moisture.



SOLID BAMBOO FLOORING

Available Size : 960x96x15mm



KTB1001
Natural Vertical



KTB1002
Natural Horizontal



KTB1003 High Gloss
Carbonized Horizontal



KTB2001
Carbonized Horizontal



KTB2002
Carbonized Vertical

STRAND WOVEN BAMBOO FLOORING

Available Size : 1850x138x12mm 1850x142x14mm



KTB3002



KTB3003




KTB3007

ENGINEERED BAMBOO FLOORING


Available Size : 915x130x10/2mm 1850x142x15/4mm



KTB4002



KTB4005



KTB4006

LAMINATE FLOORING

Laminate Flooring. It looks like the real thing. Distinctive grain. Authentic textures. Realistic looks create the dramatic beauty and design sophistication found in our laminate flooring collection. They're durable and affordable, and these floors can be installed anywhere in your home – that's the real beauty laminate floors.



Aluminium oxide
wear-resisting layer


Decor paper

HDF core


Balance paper

SAW MARK ACACIA


Available Size : 1215x126 / 165 / 195x8 / 12 mm



KTL7001



KTL7002




KTL7003



KTL7004

EUROPEAN CRACK OAK

Available Size : 1215x126 / 165 / 195x8 / 12 mm



KTL2401



KTL2402



KTL2403



KTL2404

EIR OAK

Available Size : 1215x126 / 165 / 195x8 / 12 mm



KTL1134



KTL2903



KTL1007



KTL1008

CRACK EU OAK

Available Size : 1215x126 / 165 / 195x8 / 12 mm



KTL2701



KTL2702



KTL2704



KTL2705

LEATHER WOOD

Available Size : 1215x126 / 165 / 195x8 / 12 mm



KTL2003



KTL2004



KTL2005



KTL2006

SYNCHRO PRO

Available Size : 1215x126 / 165 / 195x8 / 12 mm




KTL3004



KTL3005



KTL3007



KTL3008

MOULDING

Kangton Moldings are flame resistant and easily installed. Furthermore, the pattern can be same as flooring which can perfectly match with your flooring, no matter MDF or solid flooring.

Kangton Moldings are the best mates when you purchased our flooring.

- ◆ **T-moulding**
T-Moulding is used in doorways Or thresholds to join two areas of flooring by the same height.

2400*45*11 mm(12mm)2400*45*10mm(8mm)
- ◆ **Reducer**
Reducer is used to create a smooth transition between two flooring of different Heights.as well protect the planks.

2400*45*15mm (12mm)2400*45*12mm(8mm)
- ◆ **Skirting 1**
serves as a transition from a horizontal syrface to the vertical surface of a wall.

2400*80*15mm(12mm)2400*60*12mm(8mm)
- ◆ **Skirting 2**
Skirting 2 serves as a transition from a horizontal surface to the vertical surface of a wall.

2400*80*15mm(12mm)2400*60*12mm(8mm)
- ◆ **Quarter Round**
Quarter Round cerates a subtle blend between the Floor and the wall when skirting is not available.

2400*26*15mm
- ◆ **End-cap**
(F)End-cap trims the flooring with this simple-to-instal finishing touch, which is both simple and convenient.

2400*38*15mm(12mm)2400*38*12mm(8mm)



WPC MOULDING


- ◆ **Skirting**

94 1/2"x 3 1/8"2400x 80 x(8-12)mm
- ◆ **Reducer**

94 1/2" x1 3/4"2400x45x (7-10.5)mm
- ◆ **T-molding**

94 1/2" x 1 3/4"2400x45x(7-10.5)mm
- ◆ **End Cap**

94 1/2"x 1 3/8"2400x35x(7-10.5)mm



UNDERLAYMENT

Foam is used as underlayment before installing flooring with the aim to disperse friction, insulate noise, and prevent moisture and heat. It is characterized with high flexibility, lightweight and high durability. Besides, it can recycled and environmentally friendly.



EVA



EPE

PROJECT SHOW

From 5 star hotel, luxury resort villa, commercial office to residential apartment condo, government project, Kangton flooring are all over the world. The most durable and top level performance make your project successfully and perfect.

